Author Index

Alebić-Kolbah, T. and Wainer, I.W.
Application of an enzyme-based stationary phase to the determination of enzyme kinetic constants and types of inhibition. New high-performance liquid chromatographic approach utilizing an immobilized artificial membrane chromatographic support 653(1993)122

Amić, D., Davidović-Amić, D. and Trinajstić, N.
Application of topological indices to chromatographic data. Calculation of the retention indices of anthocyanins 653(1993)115

Awaka, I., see Saitoh, K. 653(1993)247

Azema, J., see Madelaine-Dupuich, C. 653(1993)178

Baba, Y., Ishimaru, N., Samata, K. and Tsuhako, M.
High-resolution separation of DNA restriction fragments by capillary electrophoresis in cellulose derivative solutions 653(1993)329

Bächmann, K., see Polzer, J. 653(1993)283

Barnes, J.A., see Janini, G.M. 653(1993)321

Betts, T.J.
Potential of three different α-cyclodextrin modifications for the gas chromatographic evaluation of constituents of volatile oils 653(1993)167

Bjergegaard, C., Ingvardsen, L. and Sørensen, H.
Determination of aromatic choline esters by micellar electrokinetic capillary chromatography 653(1993)99

Blom, Y. and Heldin, E.
Direct resolution of racemic drugs using cellulase silica as a chiral stationary phase 653(1993)138

Cai, L.-S., see Li, L. 653(1993)354

Cammann, K., see Grömping, A.H.J. 653(1993)341

Carta, G., see Rodrigues, A.E. 653(1993)189

Chan, K.C., Janini, G.M., Muschik, G.M. and Issaq, H.J.
Laser-induced fluorescence detection of 9-fluorenylmethyl chloroformate derivatized amino acids in capillary electrophoresis 653(1993)93

Chan, K.C., see Janini, G.M. 653(1993)321

Chen, H.-R. and Sheu, S.-J.
Determination of glycyrrhizin and glycyrrhetinic acid in traditional Chinese medicinal preparations by capillary electrophoresis 653(1993)184

Chiem, N., see Nicoll-Griffith, D. 653(1993)253

Christie, W.W., see Nikolova-Damyanova, B. 653(1993)15

Corradini, R., see Dossena, A. 653(1993)229

Danielson, N.D., see Shamsi, S.A. 653(1993)153

Davidović-Amić, D., see Amić, D. 653(1993)115

Del Pilar da Silva, M., Procopio, J.R. and Hernández, L.
Evaluation of the capability of different chromatographic systems for the monitoring of thimerosal and its degradation products by high-performance liquid chromatography with amperometric detection 653(1993)267

Demizu, Y., see Miyamoto, E. 653(1993)135

Dossena, A., Galaverna, G., Corradini, R. and Marchelli, R.
Two-dimensional high-performance liquid chromatographic system for the determination of enantiomeric excess in complex amino acid mixtures. Single amino acid analysis 653(1993)229

Escoula, B., see Madelaine-Dupuich, C. 653(1993)178

Ferreira, F., Moyna, P., Soule, S. and Vázquez, A.
Rapid determination of solanum glycoalkaloids by thin-layer chromatographic scanning 653(1993)380

Firmin, J.L., see Price, N.P.J. 653(1993)161

Frank, C., Karl, V., Kaunzinger, A. and Schumacher, K.
High Performance Liquid Chromatography in Food Control and Research (edited by R. Matissek and R. Wittkowski) (Book Review) 653(1993)385

Fu, R., Huang, C., Huang, Z. and Xu, W.
Preparation of benzo-18-crown-6 ether side-chain polysiloxane used as open tubular column gas chromatographic stationary phase 653(1993)173

Fujieda, Y., see Kawata, K. 653(1993)369

Galaverna, G., see Dossena, A. 653(1993)229

Games, D.E., see Young, J.C. 653(1993)374

Giese, R.W.
Advances in mass spectrometry (Proceedings of the 12th International Mass Spectrometry Conference, Amsterdam, August 26–30, 1992) (edited by P.J. Kistemaker and N.M.M. Nibbering) (Book Review) 653(1993)387

Gere, D.R., see Lee, H.-B. 653(1993)83

Gill, D.S., see Roush, D.J. 653(1993)207

Gray, D.O., see Price, N.P.J. 653(1993)161

Grömping, A.H.J., Karst, U. and Cammann, K.
Development of a method for simultaneous determinations of nitrogen oxides, aldehydes and ketones in air samples 653(1993)341

Hansson, L. and Isaksson, R.
Chromatographic determination of enantiomeric purity by achiral means 653(1993)9

Heberer, Th., see Stan, H.-J. 653(1993)55

Heldin, E., see Blom, Y. 653(1993)138

Hernández, L., see Del Pilar da Silva, M. 653(1993)267

Herslöf, B.G., see Nikolova-Damyanova, B. 653(1993)15

Higashi, K., see Takeda, S. 653(1993)109

Hong-You, R.L., see Lee, H.-B. 653(1993)83

Hu, Z. and Zhang, H.
Prediction of gas chromatographic retention indices of alkenes from the total solubility parameters 653(1993)275

Huang, C., see Fu, R. 653(1993)173

Huang, Z., see Fu, R. 653(1993)173

Ingvardsen, L., see Bjergegaard, C. 653(1993)99

Isaksson, R., see Hansson, L. 653(1993)9

Ishimaru, N., see Baba, Y. 653(1993)329

Issaq, H.J., see Chan, K.C. 653(1993)93

Issaq, H.J., see Janini, G.M. 653(1993)321

Iwaki, K., see Sakagami, H. 653(1993)37

Iwasaki, M., see Kai, M. 653(1993)235

Janini, G.M., Chan, K.C., Barnes, J.A., Muschik, G.M. and Issaq, H.J.
Separation of pyridinecarboxylic acid isomers and related compounds by capillary zone electrophoresis. Effect of cetyltrimethylammonium bromide on electroosmotic flow and resolution 653(1993)321

Janini, G.M., see Chan, K.C. 653(1993)93

Jarrett, H.W., see Lee, H.G. 653(1993)130

Jirskog-Hed, B., see Petersson, B. 653(1993)25

Kai, M., Kojima, E., Ohkura, Y. and Iwasaki, M.
High-performance liquid chromatography of N-terminal tryptophan-containing peptides with precolumn fluorescence derivatization with glyoxal 653(1993)235
Kaneta, T., Tanaka, S. and Taga, M.
Effect of cetyltrimethylammonium chloride on electroosmotic and electrophoretic mobilities in capillary zone electrophoresis 653(1993)313
Karl, V., see Frank, C. 653(1993)385
Karst, U., see Grömping, A.H.J. 653(1993)341
Kaunzinger, A., see Frank, C. 653(1993)385
Kawahara, A., see Takeda, S. 653(1993)109
Kawashima, S., see Miyamoto, E. 653(1993)135
Kawata, K., Minagawa, M., Fujieda, Y. and Yasuhara, A.
Sampling method of organotin compounds in air using a quartz-fibre filter and an activated carbon-fibre filter for gas chromatographic determination 653(1993)369
Kojima, E., see Kai, M. 653(1993)235
Kontani, H., see Miyamoto, E. 653(1993)135
Kubinec, R., Kuráň, P., Ostrovský, I. and Soják, L.
Determination of polycyclic aromatic hydrocarbons from bitumen concrete roads in drainage water by microextraction, large-volume sampling and gas chromatography–mass spectrometry with selected ion monitoring 653(1993)363
Kuráň, P., see Kubinec, R. 653(1993)363
Lattes, A., see Madelaine-Dupuich, C. 653(1993)178
Lee, H.-B., Peart, T.E., Hong-You, R.L. and Gere, D.R.
Supercritical carbon dioxide extraction of polycyclic aromatic hydrocarbons from sediments 653(1993)83
Lee, H.G. and Jarrett, H.W.
Chromatographic stability of glucose-silica 653(1993)130
LeFevre, J.W.
Reversed-phase thin-layer chromatographic separations of enantiomers of dansyl-amino acids using β-cyclodextrin as a mobile phase additive 653(1993)293
Li, L., Wu, C.-Y., Cai, L.-S. and Zeng, Z.-R.
Studies on the retention and thermodynamic properties of aromatic compounds on two types of crown ether polysiloxane stationary phase 653(1993)354
Ling, J.R., see Nagasawa, T. 653(1993)336
Lipman, P.J.L., see Verweij, A.M.A. 653(1993)359
Liu, X. and Yun, Z.
High-performance liquid chromatographic determination of thiocyanate anion by derivatization with pentafluorobenzyl bromide 653(1993)348
Loureiro, J.M., see Rodrigues, A.E. 653(1993)189
Lu, Z.P., see Rodrigues, A.E. 653(1993)189
Madelaine-Dupuich, C., Azema, J., Escoula, B., Rico, I. and Lattes, A.
Analysis of N-acyl aminonaphthalene sulphonic acid derivatives with potential anti-human immunodeficiency virus activity by thin-layer chromatography and flame ionization detection 653(1993)178
Marchelli, R., see Dossena, A. 653(1993)229
Miller, L. and Weyker, C.
Effects of compound structure and temperature on the resolution of enantiomers of cyclopentenones by liquid chromatography on derivatized cellulose chiral stationary phases 653(1993)219
Miller, W.R., see Rhoderick, G.C. 653(1993)71
Minagawa, M., see Kawata, K. 653(1993)369
Minguillón, C., see Oliveros, L. 653(1993)144
Miyamoto, E., Demizu, Y., Murata, Y., Yamada, Y., Kawashima, S., Kontani, H. and Sakai, T.
High-performance liquid chromatographic preparation of oxybutynin enantiomers on a chiral stationary phase 653(1993)135
Moyna, P., see Ferreira, F. 653(1993)380
Murata, Y., see Miyamoto, E. 653(1993)135
Muschik, G.M., see Chan, K.C. 653(1993)93
Muschik, G.M., see Janini, G.M. 653(1993)321
Nagasawa, T., Ling, J.R. and Onodera, R.
Chiral high-performance liquid chromatographic separation of the three stereoisomers of 2,6-diaminopimelic acid without derivatisation 653(1993)336
Nakazawa, H., see Okamoto, M. 653(1993)261
Nicoll-Griffith, D., Scartozzi, M. and Chiem, N.
Automated derivatization and high-performance liquid chromatographic analysis of ibuprofen enantiomers 653(1993)253
Nielsen, S.S., see Rounds, M.A. 653(1993)148
Nikolova-Damyanova, B. Christie, W.W. and Herslöf, B.G.
High-performance liquid chromatography of fatty acid derivatives in the combined silver ion and reversed-phase modes 653(1993)15
Ohgami, Y., see Okamoto, M. 653(1993)261
Ohkura, Y., see Kai, M. 653(1993)235
Okamoto, M., Ohgami, Y. and Nakazawa, H.
Direct stereochemical resolution of SM-11044, a novel anti-asthmatic drug, and its stereoisomers using a chiral immobilized protein stationary phase 653(1993)261
Oliveros, L. and Minguillón, C.
Example of pitfalls in the UV detection used in the resolution of racemic compounds by liquid chromatography 653(1993)144
Onodera, R., see Nagasawa, T. 653(1993)336
Ostrovský, I., see Kubinec, R. 653(1993)363
Patil, V.B. and Shingare, M.S.
Thin-layer chromatographic detection of carbaryl using phenylhydrazine hydrochloride 653(1993)181
Peart, T.E., see Lee, H.-B. 653(1993)83
Petersson, B., Podlaha, O. and Jirskog-Hed, B.
Triacylglycerol analysis of partially hydrogenated fats using high-performance liquid chromatography 653(1993)25
Podlaha, O., see Petersson, B. 653(1993)25
Polzer, J. and Bächmann, K.
Sensitive determination of alkyl hydroperoxides by high-resolution gas chromatography–mass spectrometry and high-resolution gas chromatography with flame ionization detection 653(1993)283
Porsch, B.
Epoxy- and diol-modified silica: optimization of surface bonding reaction 653(1993)1
Price, N.P.J., Firmin, J.L., Robins, R.J. and Gray, D.O.
High-performance liquid chromatography of the alkaloid perivine from *Catharanthus roseus* after derivatisation with dansyl chloride 653(1993)161
Procopio, J.R., see Del Pilar da Silva, M. 653(1993)267
Reinhoud, N.J., Tjaden, U.R. and Van der Greef, J.
Strategy for setting up single-capillary isotachophoresis–zone electrophoresis 653(1993)303
Rhoderick, G.C. and Miller, W.R.
Development of hydrocarbon gas standards 653(1993)71

Rico, I., see Madelaine-Dupuich, C. 653(1993)178
Robins, R.J., see Price, N.P.J. 653(1993)161
Rodrigues, A.E., Lu, Z.P., Loureiro, J.M. and Carta, G.
Peak resolution in linear chromatography. Effects of intraparticle convection 653(1993)189
Rounds, M.A. and Nielsen, S.S.
Anion-exchange high-performance liquid chromatography with post-column detection for the analysis of phytic acid and other inositol phosphates 653(1993)148
Roush, D.J., Gill, D.S. and Willson, R.C.
Anion-exchange chromatographic behavior of recombinant rat cytochrome b_5. Thermodynamic driving forces and temperature dependence of the stoichiometric displacement parameter Z 653(1993)207
Saitoh, K., Awaka, I. and Suzuki, N.
Separation of chlorophyll c_1 and c_2 by reversed-phase high-performance liquid chromatography 653(1993)247
Sakagami, H., Sakagami, T., Takeda, M., Iwaki, K. and Takeda, K.
Determination of sodium 5,6-benzylidene-L-ascorbate and related compounds by high-performance liquid chromatography 653(1993)37
Sakagami, T., see Sakagami, H. 653(1993)37
Sakai, T., see Miyamoto, E. 653(1993)135
Samata, K., see Baba, Y. 653(1993)329
Scartozzi, M., see Nicoll-Griffith, D. 653(1993)253
Schumacher, K., see Frank, C. 653(1993)385
Schwarzer, F., see Stan, H.-J. 653(1993)45
Shamsi, S.A. and Danielson, N.D.
Ion chromatography of polyphosphates and polycarboxylates using a naphthalenetrisulfonate eluent with indirect photometric and conductivity detection 653(1993)153
Sheu, S.-J., see Chen, H.-R. 653(1993)184
Shingare, M.S., see Patil, V.B. 653(1993)181
Soják, L., see Kubinec, R. 653(1993)363
Sørensen, H., see Bjergegaard, C. 653(1993)99
Soule, S., see Ferreira, F. 653(1993)380
Stan, H.-J. and Heberer, Th.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography–mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. II. Application to pesticides in groundwater samples 653(1993)55
Stan, H.-J. and Schwarzer, F.
Automated recognition of target compounds at low levels in environmental samples by means of capillary gas chromatography–mass spectrometry with dedicated mass spectral libraries and the macro program AUTARG. I. Description of the macro program AUTARG 653(1993)45
Suzuki, N., see Saitoh, K. 653(1993)247
Taga, M., see Kaneta, T. 653(1993)313
Takagi, T., see Watanabe, Y. 653(1993)241
Takeda, K., see Sakagami, H. 653(1993)37
Takeda, M., see Sakagami, H. 653(1993)37
Takeda, S., Wakida, S.-i., Yamane, M., Kawahara, A. and Higashi, K.
Separation of aniline derivatives by micellar electrokinetic chromatography 653(1993)109
Tanaka, S., see Kaneta, T. 653(1993)313
Tjaden, U.R., see Reinhoud, N.J. 653(1993)303
Trathnigg, B. and Yan, X.
Polymer analysis using size-exclusion chromatography with coupled density and refractive index detection. VI. Molecular mass dependence of preferential solvation of polyoxyethylenes in chloroform with different ethanol contents 653(1993)199
Trinajstić, N., see Amić, D. 653(1993)115
Tsuhako, M., see Baba, Y. 653(1993)329
Van der Greef, J., see Reinhoud, N.J. 653(1993)303
Vázquez, A., see Ferreira, F. 653(1993)380
Verweij, A.M.A. and Lipman, P.J.L.
Comparison of mass spectrometric techniques for the analysis of trace amounts of 1-methylaminoanthraquinone, used as smoke dye in exploding money suitcases 653(1993)359
Wainer, I.W., see Alebić-Kolbah, T. 653(1993)122
Wakida, S.-i., see Takeda, S. 653(1993)109
Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. II. Ketones, ethers and nitroalkanes 653(1993)63
Watanabe, Y. and Takagi, T.
Characterization of further association of the trimeric membrane protein porin by low-angle laser-light scattering photometry coupled with high-performance gel chromatography 653(1993)241
Weyker, C., see Miller, L. 653(1993)219
Willson, R.C., see Roush, D.J. 653(1993)207
Wu, C.-Y., see Li, L. 653(1993)354
Xu, W., see Fu, R. 653(1993)173
Yamada, Y., see Miyamoto, E. 653(1993)135
Yamane, M., see Takeda, S. 653(1993)109
Yan, X., see Trathnigg, B. 653(1993)199
Yasuhara, A., see Kawata, K. 653(1993)369
Young, J.C. and Games, D.E.
Analysis of *Fusarium* mycotoxins by supercritical fluid chromatography with ultraviolet or mass spectrometric detection 653(1993)374
Yun, Z., see Liu, X. 653(1993)348
Zeng, Z.-R., see Li, L. 653(1993)354
Zhang, H., see Hu, Z. 653(1993)275

Erratum

J. Chromatogr., 647 (1993) 219–234

Page 232, legend to Fig. 13, 4th line: "waste energy" should read "waste water".